



LC P-16

Pat. pend.

P-System




Bearbeitung mit CNC-Maschinen / Machining with CNC machines




Scharfe Fräser verwenden
Use sharp cutters





CNC-Bearbeitungszentren mit **Konsolen**
CNC processing centres with **consoles**





CNC-Bearbeitungszentren mit **Nesting-Technologie**
CNC processing centres with **nesting technology**





CNC-Bearbeitungszentren **Vertikal**
CNC processing centres **vertical**



19 mm Platte mit 4 mm Deckschicht
19 mm panel with 4 mm Surface layer



25 mm Platte mit 4 mm Deckschicht
25 mm panel with 4 mm Surface layer



38 mm Platte mit 8 mm Deckschicht
38 mm panel with 8 mm Surface layer

Technische Informationen / Technical data

Material Verbinder: Glasfaserverstärkter Kunststoff Material of connector: fiberglass reinforced plastic		Einbautoleranz Längs: ± 1.0 mm Installation tolerance long.: ± 1.0 mm		Schiebetoleranz: Radial ± 1 mm Lateral tolerance: Radial ± 1 mm		Fräser: Ø 100.4 × 7 × 22 mm Cutter: Ø 100.4 × 7 × 22 mm	
LC P-16 × 11	Grösse/Size: 71.4 × 13.5 × 15.3 mm	LC P-16 × 17	Grösse/Size: 71.4 × 13.5 × 19.6 mm	LC P-16 × 22	Grösse/Size: 71.4 × 13.5 × 24.6 mm		
Zugfestigkeit 90° 10N ~ 1 kg* Tensile strength 90° 10N ~ 1 kg*							
MDF Holzfaserwelle / Corrugated wood fibre	~680*	MDF Holzfaserwelle / Corrugated wood fibre	~670*	MDF Holzfaserwelle / Corrugated wood fibre	~1100*		
Spanplatte Kartonwabe Particle board Cardboard honeycomb	~460*	Spanplatte Kartonwabe Particle board Cardboard honeycomb	~410*	Spanplatte Kartonwabe Particle board Cardboard honeycomb	~870*		
Zugfestigkeit 180° 10N ~ 1 kg* Tensile strength 180° 10N ~ 1 kg*							
MDF Holzfaserwelle / Corrugated wood fibre	~640*	MDF Holzfaserwelle / Corrugated wood fibre	~730*	MDF Holzfaserwelle / Corrugated wood fibre	~1000*		
Spanplatte Kartonwabe Particle board Cardboard honeycomb	~630*	Spanplatte Kartonwabe Particle board Cardboard honeycomb	~440*	Spanplatte Kartonwabe Particle board Cardboard honeycomb	~810*		
Scherfestigkeit 90° 10N ~ 1 kg* Shear strength 90° 10N ~ 1 kg*							
MDF Holzfaserwelle / Corrugated wood fibre	~970*	MDF Holzfaserwelle / Corrugated wood fibre	~930*	MDF Holzfaserwelle / Corrugated wood fibre	~1750*		
Spanplatte Kartonwabe Particle board Cardboard honeycomb	~670*	Spanplatte Kartonwabe Particle board Cardboard honeycomb	~610*	Spanplatte Kartonwabe Particle board Cardboard honeycomb	~1490*		



DE Konfigurator



EN configurator




*DE Anmerkungen zu den Festigkeitswerten auf unserer Webseite Lamello.com




*EN Disclaimer regarding Load Limits on our website Lamello.com

Bearbeitung mit Zeta P2 | Machining with Zeta P2




Handmaschine Zeta P2
Power tool Zeta P2




Handmaschine Zeta P2 Akku
Power tool Zeta P2 cordless

LC P-16 x11



LC P-16 x17



LC P-16 x22

