



Certificate of constancy of performance  
according to AVCP-System 1

**MPA** | Eberswalde

Materialprüfanstalt  
Brandenburg GmbH

**0763-CPR-6116**

Prüfung, Überwachung,  
Zertifizierung, Gutachten,  
Forschung und Entwicklung

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR) this certificate applies to the construction product

Alfred-Möller-Straße 1, H 13  
D-16225 Eberswalde

Fon +49 (0) 33 34. 65 560  
Fax +49 (0) 33 34. 65 550

www.mpaew.de  
office@mpaew.de

Geschäftsführer:  
Dr. Robby Wegner

HRB 10408 FF

**Hardwood plywood FR-O**

according to EN 636 for use as structural components in humid conditions for use as walls and roofs, technical class EN 636-2 S, uncoated, wood species: hardwood, nominal thickness  $\geq 12$  mm, density  $680 \text{ kg/m}^3 - 840 \text{ kg/m}^3$ , class of reaction to fire acc. to EN 13501-1: B – s1, d0.

This classification is valid for the following end use conditions acc. to classification report SL/Z-714/EN 13501/933/2021 of 03.12.2021.

mechanically fastened to wooden slats, with vertical and/or horizontal joints, ventilated or unventilated air gap

produced by

**Paged Morąg S.A.**

**ul. Mazurska 1, PL – 14-300 Morąg**

and produced in the manufacturing plant

**Paged Morąg S.A.**

**ul. Kwiatowa 1, PL – 12-200 Pisz**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13986:2004+A1:2015**

under system 1 for the performances set out in this certificate are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate hereby replaces the certificate 0763-CPR-6116, dated 09.12.2021, and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product and the manufacturing conditions in the plant are not modified significantly.

Eberswalde, 02.01.2024



  
Dr. Robby Wegner  
Head of Certification Body

Sparkasse Schwandorf  
Kto-Nr.: 100 164 862  
BLZ: 750 510 40  
IBAN: DE55 7505 1040 0100 1648 62  
BIC-/SWIFT: BYLADEM1SAD  
USt.-Id. DE814335485  
Finanzamt Eberswalde



Die Akkreditierung gilt nur für die in der Urkunde aufgeführten Verfahren.



vom DIBt anerkannte  
PÜZ-Stelle BRA02



EC notified 0763



CARB notified TPC 18